




Contents lists available at ScienceDirect

Ocean and Coastal Management

journal homepage: www.elsevier.com/locate/ocecoaman

Corrigendum to “Anthropogenic noise effects on Risso’s dolphin vocalizations in the Gulf of Taranto (Northern Ionian Sea, central Mediterranean Sea)” [Ocean Coast. Manag. 254 (2024) 107177]

R. Carlucci^a, G. Cipriano^{a,*}, M. Bonato^b, G. Buscaino^c, R. Crugliano^d, C. Fanizza^d, S. Gatto^d, R. Maglietta^e, C. Papetti^f, M. Pelagatti^c, P. Ricci^a, F.C. Santacesaria^d, E. Papale^{c,g}

^a Department of Biosciences, Biotechnology and Environment, University of Bari, Via Orabona 4, 70125, Bari, Italy

^b Department of Industrial Engineering, Department of Comparative Biomedicine and Food Science, University of Padova, Italy

^c Institute for the Study of Anthropic Impacts and Sustainability in the Marine Environment (IAS), National Research Council, Unit of Capo Granitola, Via del Mare 3, 91021, Torretta Granitola, TP, Italy

^d Jonian Dolphin Conservation, Vico Vigilante snc, 74123, Taranto, Italy

^e Institute of Intelligent Industrial Technologies and Systems for Advanced Manufacturing, National Research Council, Via Amendola 122 D/O12, 70126, Bari, Italy

^f Department of Biology, University of Padova, Via U. Bassi 58/b, 35131, Padova, Italy

^g Department of Life Sciences and System Biology, University of Torino, Via Accademia Albertina 13, 10123, Torino, Italy

The authors regret an error in Figs. 3 and 4 and in Table 4 of this paper. Two plots for each Figure are reported instead of just one. In Table 4 commas are reported instead of dots. We consider these errors to be significant as readers may misinterpret the content.

The corrected Figs. 3 and 4 as well as Table 4 are reported below:




Fig. 3. Plot of the first and second discriminant function analysis performed on the impulsive signals (click trains, buzzes, short burst pulses and barks).




Fig. 4. Ambient noise (Lp dB re 1 μ Pa) in 1/3 Octave bands measured from the recording segments extracted for analysis (black lines). The red line represents the median value, while the green line shows the 10th percentile and the blue line the 90th percentiles.

DOI of original article: <https://doi.org/10.1016/j.ocecoaman.2024.107177>.

* Corresponding author.

E-mail address: giulia.cipriano@uniba.it (G. Cipriano).

<https://doi.org/10.1016/j.ocecoaman.2024.107196>

0964-5691/© 2024 The Author(s). Published by Elsevier Ltd. This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

Table 4

Results and details of the GLMMs obtained for click trains, short burst pulses, and barks.

	Central frequency 1/3 Octave Bands	Random effect	Estimates	Standard error	T value	P
Click Trains						
ICI	50 Hz	Behaviour	0.003	0.001	4.650	<0.001
	7943 Hz		0.005	0.001	4.402	<0.001
	10000 Hz		0.006	0.001	4.295	<0.001
	12589 Hz		0.007	0.001	4.246	<0.001
	15848 Hz		0.009	0.002	4.188	<0.001
	19952 Hz		0.010	0.002	4.017	<0.001
Peak 1 amplitude (dB)	7943 Hz	Behaviour	1.454	0.335	4.339	<0.001
	10000 Hz		1.693	382.000	4.433	<0.001
	12589 Hz		2.062	0.449	4.587	<0.001
	15848 Hz		2.521	0.536	4.702	<0.001
	19952 Hz		3.336	0.621	5.368	<0.001

(continued on next column)

Table 4 (continued)

	Central frequency 1/3 Octave Bands	Random effect	Estimates	Standard error	T value	P
	25118 Hz		0.880	0.258	3.409	<0.001
	31622 Hz		1.333	0.289	4.607	<0.001
Short burst pulses						
Click duration	50 Hz	Behaviour	0.001	0.001	4.734	<0.001
	63095 Hz		0.001	0.001	5.155	<0.001
Barks						
Peak 1 amplitude (dB)	25118 Hz	Behaviour	2.429	0.707	3.434	0.001
Peak 2 amplitude (dB)	25118 Hz	Behaviour	6.412	2.156	2.975	0.005

The authors would like to apologise for any inconvenience caused.