

TOPICAL REVIEW • OPEN ACCESS

Inconsistent recognition of uncertainty in studies of climate change impacts on forests

To cite this article: M Petr *et al* 2019 *Environ. Res. Lett.* **14** 113003

View the [article online](#) for updates and enhancements.

Environmental Research Letters



TOPICAL REVIEW

Inconsistent recognition of uncertainty in studies of climate change impacts on forests

OPEN ACCESS

RECEIVED

15 May 2018

REVISED

12 September 2019

ACCEPTED FOR PUBLICATION

20 September 2019

PUBLISHED

6 November 2019

Original content from this work may be used under the terms of the [Creative Commons Attribution 3.0 licence](#).

Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI.



M Petr¹, G Vacchiano², D Thom^{3,4}, P Mairota⁵, M Kautz⁶, L M S Goncalves⁷, R Yousefpour⁸, S Kaloudis⁹ and C P O Reyer^{10,11}

¹ Forest Research, Forestry Commission, Northern Research Station, Roslin EH25 9SY, United Kingdom

² DISAA, Università degli Studi di Milano, I-20133 Milano, Italy

³ Institute of Silviculture, University of Natural Resources and Life Sciences (BOKU), A-1190 Vienna, Austria

⁴ Rubenstein School of Environment and Natural Resources, University of Vermont, Burlington VT-05405, United States of America

⁵ Department of Agri-Environmental and Territorial Sciences, University of Bari 'Aldo Moro', I-70126 Bari, Italy

⁶ Forest Health, Forest Research Institute Baden-Württemberg, D-79100 Freiburg, Germany

⁷ INESC Coimbra, NOVA IMS, Polytechnic Institute of Leiria, Leiria, Portugal

⁸ Forestry Economics and Forest Planning, University of Freiburg, D-70106 Freiburg, Germany

⁹ Department of Science, Agricultural University of Athens, 36100 Karpenisi Greece

¹⁰ Potsdam Institute for Climate Impact Research (PIK), Member of the Leibniz Association, PO Box 60 12 03, D-14412 Potsdam, Germany

¹¹ Author to whom any correspondence should be addressed.

E-mail: reyer@pik-potsdam.de

Keywords: uncertainty recognition, modelling, decision-making, uncertainty assessment methods, science communication

Supplementary material for this article is available [online](#)

Abstract

Background. Uncertainty about climate change impacts on forests can hinder mitigation and adaptation actions. Scientific enquiry typically involves assessments of uncertainties, yet different uncertainty components emerge in different studies. Consequently, inconsistent understanding of uncertainty among different climate impact studies (from the impact analysis to implementing solutions) can be an additional reason for delaying action. In this review we (a) expanded existing uncertainty assessment frameworks into one harmonised framework for characterizing uncertainty, (b) used this framework to identify and classify uncertainties in climate change impacts studies on forests, and (c) summarised the uncertainty assessment methods applied in those studies. **Methods.** We systematically reviewed climate change impact studies published between 1994 and 2016. We separated these studies into those generating information about climate change impacts on forests using models—'modelling studies', and those that used this information to design management actions—'decision-making studies'. We classified uncertainty across three dimensions: *nature*, *level*, and *location*, which can be further categorised into specific uncertainty types. **Results.** We found that different uncertainties prevail in modelling versus decision-making studies. Epistemic uncertainty is the most common nature of uncertainty covered by both types of studies, whereas ambiguity plays a pronounced role only in decision-making studies. Modelling studies equally investigate all levels of uncertainty, whereas decision-making studies mainly address scenario uncertainty and recognised ignorance. Finally, the main location of uncertainty for both modelling and decision-making studies is within the driving forces—representing, e.g. socioeconomic or policy changes. The most frequently used methods to assess uncertainty are expert elicitation, sensitivity and scenario analysis, but a full suite of methods exists that seems currently underutilized. **Discussion & Synthesis.** The misalignment of uncertainty types addressed by modelling and decision-making studies may complicate adaptation actions early in the implementation pathway. Furthermore, these differences can be a potential barrier for communicating research findings to decision-makers.

1. Background

Despite overwhelming evidence about climate change impacts on natural and human systems (Cramer *et al* 2014), uncertainty about impacts is often perceived as one of the main challenges for taking action on climate change (Moser and Ekstrom 2010, Hanger *et al* 2013, Yousefpour and Hanewinkel 2016). In forest management, a key problem is that actions to maintain ecosystem functions under a changing climate need to be taken several decades earlier than their expected effect (Spittlehouse and Stewart 2003, Millar *et al* 2007). Yet, uncertainties related to future forest growth, the occurrence of disturbances, and mortality complicate taking decisions about the most suitable adaptation and mitigation measures to implement (O'Hara and Ramage 2013, Lindner *et al* 2014, Petr *et al* 2016, Seidl *et al* 2017), e.g. which tree species to plant. Furthermore, other drivers, such as future policies and societal demands for forest services, increase uncertainty about appropriate management options.

Therefore, understanding and embracing uncertainty is an important factor for successful climate change adaptation and mitigation (Lindner *et al* 2014) but a prevailing problem for many climate change-related studies is how to grasp and report uncertainty in their findings. Uncertainty is context and domain-dependent, which influences how different scientists recognise and deal with it (Bryant *et al* 2018). Moreover, the conceptualisation of uncertainty might differ between studies, leading to different understandings of what is meant by uncertainty or what is included in its quantification—and hence reported in scientific papers. For example, climate impact modelling studies aim to, among others, represent processes and generate information using computer models. In terms of uncertainty, modelling studies routinely quantify uncertainties related to the imperfect knowledge of the system under investigation (Uusitalo *et al* 2015, Gray 2017, Marchand *et al* 2018). On the other hand, studies exploring how users assess available information and use it to make long-term decisions (hereafter, 'decision-making' studies) (Schmolke *et al* 2010) more rarely quantify uncertainties. In particular, there is a lack of studies investigating uncertainty of stakeholder values or priorities about forest use. However, these can strongly influence how foresters design and apply adaptive management strategies (McDaniels *et al* 2012, Lawrence and Marzano 2014). Therefore, when quantifying individual components of the 'cascade of uncertainty' prevalent in climate impact studies (Jones 2000, Reyer 2013), its perception in the decision-making processes is often ignored (Petr *et al* 2014a, Radke *et al* 2017). This may be due on one hand to the large number of external drivers containing unpredictable factors, such as future stakeholders' needs and policy changes driven by stochastic human behaviour, that

increase the complexity of decision-making studies. On the other hand, while many methods are available for estimating uncertainty in quantitative modelling, such as the 'Model-Independent Parameter Estimation and Uncertainty Analysis (PEST)' which constitutes an uncertainty analysis method for environmental modelling (Doherty 2015, <http://pesthhomepage.org/>), a smaller number of techniques have been suggested for more qualitative decision-making studies. Also, some widely used uncertainty frameworks have been designed for classifying uncertainties in modelling studies (Walker *et al* 2003, Refsgaard *et al* 2007, Kwakkel *et al* 2010), but to our knowledge only a few studies have tested and developed frameworks for decision-making studies (Ascough *et al* 2008, Petr *et al* 2014a). This imbalance might lead to substantially different types of uncertainties being covered by the different types of research.

In this review, we address the lack of knowledge about which aspects of uncertainties prevail or are missing in modelling and decision-making studies in forest science, and how they differ in their understanding of uncertainty. To answer these questions, we developed a new multi-dimensional uncertainty framework, which we used to systematically classify uncertainties in modelling and decision-making studies published in the scientific literature. Finally, we summarized uncertainty assessment methods applied by those studies, to provide an overview of the methods at hand. Classifying uncertainty will not only allow to better recognise, quantify and communicate it (Walker and Marchau 2003, Nicol *et al* 2019, van der Bles *et al* 2019) but also, and more fundamentally, help to understand where knowledge gaps are, or how much we know or do not know about a problem.

2. Conceptual framework

2.1. Uncertainty definitions

Uncertainty is a complex concept with multiple definitions (Walker *et al* 2003, Refsgaard *et al* 2007, Ascough *et al* 2008). Consequently, the literature offers a broad range of meanings and interpretations of the term. Table 1 provides examples of existing definitions across different research fields, from general environmental science to forest ecology and management. These examples show an objective-subjective gradient from natural to decision-making research disciplines. Yet, in essence, uncertainty represents 'any departure from the unachievable ideal of complete determinism' (Walker *et al* 2003), which is the broad definition we also adopt in this paper.

2.2. Dimensions and types of uncertainty

Beyond this simple definition, uncertainty can be categorised according to its dimensions or sources (van Asselt and Rotmans 2002, Walker *et al* 2003). These dimensions refer to the different ways in which

Table 1. Examples of definitions and descriptions of uncertainty types.

Definition of uncertainty	Research field	Type of study	References
'Any departure from the unachievable ideal of complete determinism' ^a	na	na	(Walker <i>et al</i> 2003)
'Measure of unexplained variation'	Environmental research	Modelling	(Lehmann and Rillig 2014)
'Lack [of] confidence about knowledge relating to a specific question'	Water management	Decision-making	(Sigel <i>et al</i> 2010)
'The situation in which there is not a unique and complete understanding of the system to be managed'	Ecology	Decision-making	(Brugnach <i>et al</i> 2008)
'Large differences in the simplifying assumptions and parameter choices made in models'	Forest ecology	Modelling	(Cheaib <i>et al</i> 2012)

^a Denotes the main uncertainty definition used in this paper.

uncertainty can be understood, interpreted, and addressed. In their conceptual basis for uncertainty classification in model-based decision support systems, Walker *et al* (2003) defined three dimensions of uncertainty: *location*, *level* and *nature*. The *location* describes where in a method/model the uncertainty occurs, e.g. in parameters or driving forces (see table 2). The *level* describes the degree of knowledge available, ranging from the ideal state of complete knowledge (determinism) to the state of completely imperfect knowledge (total ignorance). Finally, the *nature* describes the reason for the lack of knowledge, either from imperfect information (epistemic) or from natural variability (stochastic). We expanded Walker *et al* (2003)'s framework with additional uncertainty types, which relate more closely to decision-making processes. Specifically, we added the locations 'model selection', 'model implementation', 'information selection/decision' and 'type of information outputs' as well as the nature 'ambiguity' (after Kwakkel *et al* 2010). Table 2 presents each of the uncertainty types, their definition and an example. To ensure the relevance of our framework, we included each uncertainty type in the framework only if we could provide an example from the climate-forest nexus.

2.3. Uncertainty assessment methods

To understand how the different uncertainty dimensions and types can be assessed, we complemented our framework with existing methods for uncertainty assessment from Refsgaard *et al* (2007). These contain widely used quantitative methods such as scenario analysis or Monte Carlo analysis, but also more qualitative methods such as stakeholder involvement, see figure 1. All 15 uncertainty assessment methods are defined in table S1 is available online at stacks.iop.org/ERL/14/113003/mmedia, with 'other' methods added to the list. We note that the uncertainty assessment methods by Refsgaard *et al* (2007), only consider 'sensitivity analysis' in general terms. Yet, there are differences between global and local sensitivity analysis with global being much more useful in assessing model/parameter uncertainty due to the consideration of nonlinear effects and parameter (hierarchical)

relationships/interdependencies (McKenzie *et al* 2019). Recent uncertainty assessment tools include most of these quantitative methods (e.g. White *et al* 2016, Hartig *et al* 2019).

2.4. Uncertainty assessment framework

Based on previously published uncertainty assessment frameworks (Walker *et al* 2003, Refsgaard *et al* 2007, Warmink *et al* 2010), we developed a novel framework to identify and classify uncertainties. Previous frameworks have provided a comprehensive overview of the multi-dimensionality of uncertainty including methods and application examples. However, they have not integrated modelling and decision-making perspectives into one coherent framework together with applicable uncertainty assessment methods. To that end, we compiled uncertainty dimensions and types (described in table 2) as well as existing methods for uncertainty assessment (table S1) into one uncertainty assessment framework. This final uncertainty assessment framework consisted of three dimensions of uncertainty (level, nature, location) further characterised by 17 uncertainty types and 15 assessment methods (figure 1).

3. Methods

3.1. Literature search and review

We conducted a systematic review of uncertainty related to climate change impact research in forest science, with a focus on modelling and decision-making studies. We used the Scopus database to search for published, peer-reviewed scientific papers in English. We used the search string *((climat* change) AND forest AND uncertain* AND model*)* for modelling studies, and replacing 'AND model*' by 'AND management' AND 'behavior* OR attitude* OR polic*' for decision-making studies. The search was carried out by researchers based in Edinburgh, UK. It yielded 1079 papers (78% modelling and 22% decision-making) published between 1994 and 2016. To minimise the bias towards modelling studies, we randomly selected 191 (i.e. 22%) modelling papers for

Table 2. Descriptions and examples of uncertainty types classified across three uncertainty dimensions (location, level, and nature) (expanded version from Walker *et al* 2003). New additional types proposed by this study are in italics.

Uncertainty dimension	Uncertainty type	Description	Examples from forest science
Location	Context and framing	Boundaries of the investigated system, i.e. processes and actors included	Choice of study area and climate scenarios
	Driving forces	Uncertainty about future drivers of change outside of the studied system	Changes in forest policy objectives or timber prices
	System data	Uncertainty about the physical description and inherent behaviour of the system itself	Changes in future climate conditions
	Model structure	Incomplete understanding or simplified description of modelled processes	Imperfect knowledge on how trees respond to changes in extreme drought events
	Technical model uncertainty	Arising from computer implementation of the model (software program)	Bugs or rounding-offs hidden in the software or code
	<i>Model selection</i>	Uncertainty about which model to use or further develop	Selection of the most appropriate forest model for the studied forest, from a range of available models
	<i>Model implementation</i>	Uncertainty about how to apply models in new locations	Unsure if model structure or results can be extrapolated to different regions
	Parameter uncertainty	The a priori defined values or constants in the model	Regression coefficients for a tree mortality algorithm
	Model output uncertainty	Accumulated uncertainty from all individual modelling components	A total variance in timber volume estimates
	<i>Type of information outputs</i>	Uncertainty in how the scientific evidence is communicated	Large range of classification bins in the legend of a forest biomass map
<i>Information selection/decision</i>	Multiple available sources of information among which to choose	Multiple forest biomass maps responding to different climate scenarios	
Level	Statistical	Quantified using statistical metrics, such as a confidence interval or sampling error	95% confidence interval for estimated timber prices
	Scenario	A plausible description of how the system with its driving forces can develop in the future	A range of climate scenarios determining future tree growth rates
	Recognised ignorance	Awareness of the lack of knowledge about functional relationships, which have not been quantified or incorporated into the model or decision tool	Admitting complete ignorance about the timber price of a specific tree species in the 2080s
Nature	Epistemic	Imperfect knowledge about the system	Tree height measured only for a small sample of trees - missing records from all trees in a forest
	Stochastic/Aleatory ^a	Inherent chaotic behaviour of natural or anthropic system (Walker <i>et al</i> 2003, Warmink <i>et al</i> 2010)	Chaotic nature of extreme weather events such as droughts, occurrence of fire ignitions
	<i>Ambiguity</i>	Coexistence of different equally valid understandings of a system (Brugnach <i>et al</i> 2008)	Societal demand to a forest in the 2050s (e.g. timber production or recreation).


^a Both terms are being used interchangeably in the literature, we use stochastic throughout this manuscript.

further abstract scrutiny. After examining the abstracts of all papers, we ended up with 69 modelling and 31 decision-making papers for further analysis.

For each paper we recorded the following attributes: author(s), year of publication, type of paper (primary research, review, other), spatial coverage (local, regional, multi-country, continental, global), and study area (country). We classified each paper, into one of nine categories of research topics (carbon balance, conservation/restoration, fire/drought/pests, forest management planning, forest dynamics,

forest policy, mortality, species distribution, and others). Only for decision-making papers, we recorded information about the management stage that was studied (operational & tactical, strategic & organisational, and/or policy-making) (Oesten and Roeder 2012, table S2).

We thoroughly reviewed each paper using our uncertainty framework and captured all types of uncertainty (nature, level, location, and their unique combinations) identified therein, as well as the uncertainty assessment methods used for each entry. If the




same combination of uncertainty types was addressed with the same method, we only recorded the first one reported. Hence, out of the 69 modelling and 31 decision-making papers, we extracted 139 and 65 unique combinations of uncertainty types (table S3). We only recorded uncertainties related to the actual research carried out within the papers.

As the reviewing task was shared among co-authors, we tried to reduce subjectivity in classifying

uncertainty types by having a cross-check of all entries by the main author.

3.2. Analysis

First, we derived summary statistics for the publication year, study area, spatial coverage, and research topic. Second, we counted the number of papers addressing each type of uncertainty, and tested whether the reporting frequency of uncertainty natures and levels



differed between modelling and decision-making papers (Chi-square test). We did not compare locations, because these uncertainty types largely varied between studies. Next, we compared the frequency of unique combinations of nature \times location and level \times location between modelling and decision-making studies, as well as the frequency of uncertainty natures and levels across different stages of management (decision-making papers only). Finally, we identified the most frequently used uncertainty assessment methods for each nature and level of uncertainty. Our analyses were conducted using the R language and environment for statistical computing (R Core Team 2018), especially the *tidyverse* package (Wickham 2017).

4. Results

4.1. Summary of reviewed papers

Out of the 69 modelling and 31 decision-making papers, the majority were published after 2000 and 2004 respectively. Only three papers addressed uncertainty from both the modelling and decision-making perspectives. The studies covered all continents, with a prevalence of North American (41%) and European (27%) studies. A large proportion of studies focused on estimating carbon stocks and fluxes (25% of modelling and 1% of decision-making), followed by risks of fire, drought, and pests (10% and 7%), and forest management (4% and 11%). The latter two topics were the most frequent in decision-making studies. The dominant spatial scales were regional and local, representing 52% and 27% of all studies. However, modelling studies covered a wider range of spatial scales including global and continental-scale studies.

4.2. Uncertainty nature and level

When comparing unique combinations of uncertainty types addressed by modelling and decision-making studies, we found significant differences ($p < 0.05$) across both nature and level (figure 2). Epistemic

uncertainty was the most frequent uncertainty nature covered in both groups of studies, representing 86% of modelling and 57% of decision-making entries. Ambiguity was relevant only for decision-making entries (32%). For the uncertainty level, the modelling entries were rather equally distributed with the highest proportion associated to scenario uncertainty (35%); in decision-making studies, the most represented uncertainty level was recognised ignorance (35%) followed by scenario uncertainty (26%).

Considering a classification across both level and nature, we found a similar pattern for modelling and decision-making studies, except for ambiguity (figure 2). Modelling studies addressed epistemic uncertainty equally across all three levels of uncertainty. Stochastic uncertainty was only treated in combination with statistical and scenario uncertainty, whereas ambiguity was equally associated to all three uncertainty levels. In decision-making studies, a large proportion of epistemic uncertainty could not be associated to any level ('not available' in figure 2). Most entries dealing with ambiguity were combined with assessments of scenario uncertainty, while stochastic uncertainty combined equally with all uncertainty levels.

4.3. Uncertainty location

The main locations addressed by modellers were 'model parameters' (26%), 'inputs—driving forces' (23%), and 'model outputs' (18%). For these three locations, the most frequent nature of uncertainty was scenario (for inputs—driving forces) or statistical (for model parameters and outputs) (figure 3). Still, a non-negligible number of entries reported on 'recognised ignorance' for locations such as model structure (67% of the respective entries), model parameters (39%) and inputs—system data (33%). Very rarely did modelling studies report uncertainty in 'model implementation' (1%). For modelling studies, epistemic uncertainty was the preferred way to characterize all uncertainty locations. Ambiguity, on the contrary, appeared only at four locations.




Figure 3. Relative proportions of modelling and decision-making entries to the database addressing uncertainty types across nature, level, and location.





Figure 4. Relative proportion of uncertainty types across nature, level, and management stage (only for decision-making studies).

Decision-making papers mainly addressed ‘inputs—driving forces’ (35% of entries) and ‘information selection or decision’ (26%). Epistemic uncertainty was the preferred way to characterize all locations. Regarding combinations of location and level, ‘inputs’ and ‘context and framing’ were never associated to statistical uncertainty, which instead was sometimes used to characterize uncertainty in ‘model outputs’ (13% of entries) and ‘information selection’ (12%). Recognised ignorance was

the most frequent uncertainty level for all uncertainty locations.

4.4. Uncertainty types represented at different management stages

The entries from the decision-making papers mainly represented the ‘Operational’ management level (57%), followed by ‘strategic & organisational’ (20%), and ‘policy-making’ stages (19%). Operational, strategic and



policy analyses were mostly linked to epistemic uncertainty (figure 4). The entries dealing with operational and strategic management were rather evenly distributed amongst levels compared to statistical uncertainty, while policy-making studies were mostly associated to recognised ignorance.

4.5. Methods for uncertainty assessment

Distinct uncertainty assessment methods were used in modelling and decision-making studies. In fact, only three methods were used in both groups of papers: expert elicitation, scenario analysis, and sensitivity analysis (figure 5). Among these, only scenario analysis was used for assessing stochastic uncertainty, while all three were used in case of epistemic uncertainty and ambiguity. Overall, a large suite of uncertainty assessment methods (10) was used in modelling studies to analyse epistemic uncertainty, five for ambiguity, and four for stochastic uncertainty. In decision-making studies, epistemic uncertainty was analysed using six methods in total, ambiguity using four, and stochastic uncertainty using three methods. All levels of uncertainty were analysed by an equal number of methods overall (nine). In modelling studies, the widest range of methods was used for statistical uncertainty, followed by recognised ignorance and scenario uncertainty. In decision-making studies, scenario uncertainty was associated to twice the number of methods (six) as were statistical uncertainty and recognized ignorance (three each). Scenario analysis, Monte Carlo analysis, and multiple model simulations were the most

versatile methods, being applied at least once for every uncertainty level and nature. Finally, five methods were applied to only one uncertainty type, e.g. exploratory modelling or error propagation equations.

5. Discussion

Our review of the scientific literature on climate change impact and adaptation in forests showed a multi-dimensional understanding of uncertainty, which was described by different natures, levels, and locations. Acknowledging this multi-dimensionality can be crucial for understanding knowledge gaps in modelling future climate impacts on forests, or analyzing the decision-making process of forest stakeholders under climate change. Moreover, understanding the different dimensions of uncertainty can help modellers and decision-making scientists to identify what types of uncertainty exist, how to communicate them, and what would be necessary to reduce them, if possible.

We have used the example of climate impacts on forests but our framework is also useful for other areas of climate impact science. The types of models used to simulate climate impacts on forests and the types of methods to assess uncertainties as well as our conceptualisation of uncertainty are very similar to those used in hydrology (Kundzewicz *et al* 2018), health (Wardekker *et al* 2012), agricultural modelling (Asseng *et al* 2013) or climate impact science in general (Falloon *et al* 2014). Likewise are the management

challenges inherently complex in these areas. However, forest management is also special because it deals with long planning horizons and as uncertainty increases over time (Augustynczyk *et al* 2017). Therefore, analysing uncertainty of forest management has the potential to be a very informative framework to be adopted and applied to other ecological systems.

5.1. Modelling versus decision-making studies

We found significant differences in understanding uncertainty among modelling and decision-making studies. These differences pinpoint towards a misalignment of how the different study types address uncertainty, and have the potential to misguide communication of uncertainty when those studies are used as evidence-base to support decisions.

Modelling studies mostly focus on epistemic uncertainty, whereas addressing ambiguity and stochastic uncertainty was less common. This highlights that modellers strive to estimate how much uncertainty about the system they model can be reduced by using more accurate input information, improving model structure (e.g. Cheaib *et al* 2012), or filling knowledge gaps about ecological processes (e.g. Littell *et al* 2011). Decision-making studies addressed uncertainty across a wider spectrum of natures than modelling studies. This reflects a broader view of the problems that these studies investigate, as opposed to the more targeted and narrower perspective typically adopted by modelling studies. The modelling studies seem to address more process-oriented uncertainties while the decision-making studies deal with more policy-oriented uncertainties. In fact, decision-making studies focused on forests as providers of services like timber and/or recreation, broadening the boundaries of their analysis to incorporate, for example, stakeholder goals and forest policies (e.g. Lawrence and Marzano 2014, Kemp *et al* 2015). On the contrary, modelling studies investigate individual components of forest structure or functioning, such as biomass (Verkerk *et al* 2014), carbon sequestration (Petr *et al* 2014b), and forest productivity (Reyer *et al* 2014); or, more recently, assess multiple forest benefits and their interactions (e.g. Cantarello *et al* 2017, Mina *et al* 2017, Ray *et al* 2017, Albrich *et al* 2018) but weakly integrating human needs and views that go beyond forest management practices. Studies focusing on decision-making also recognized epistemic uncertainty, e.g. acknowledging the need to obtain better evidence of the most effective adaptive forest management strategy (e.g. Yousefpour *et al* 2012). However, ambiguity was also well represented. Ambiguity has been identified as one of the key uncertainty dimensions in natural resource management (Brugnach *et al* 2008). In forest management, ambiguity may emerge when managers are unsure which tree species to plant, even though they have evidence on how trees can grow in the future (e.g. Lawrence and Marzano 2014). The

wider acknowledgment of ambiguity in decision-making studies can arise from decision problems being inherently complex, especially when they involve human decisions.

Decision-making studies addressed ambiguity mainly through consultation with stakeholders, which confirmed the broader system boundaries adopted under this perspective (Kemp *et al* 2015). Conversely, ambiguity was almost lacking in modelling studies, suggesting that modelling is less likely to incorporate multiple views and opinions. However, the recent development of agent-based modelling is trying to bridge this gap (Rounsevell *et al* 2012, Rammer and Seidl 2015) and modellers are also starting to tackle interdisciplinary questions and problems such as the selection of suitable tree species for maximizing both social and economic benefits. Hence we expect a rising recognition of ambiguity in the modelling world.

Surprisingly, we found little evidence of stochastic uncertainty being covered by either modelling or decision-making studies, even though a number of forest questions related to random elements, such as the exact occurrence and timing of extreme weather events. Yet, probably this inherent stochasticity might be too complex to be dealt with and communicated in modelling and decision-making studies alike, as opposed to epistemic uncertainties.

A second difference is that decision-making studies address preferentially higher levels of uncertainty (i.e. recognised ignorance) if compared to modelling studies, which spread evenly across all three levels. This implies that decision-making studies, while confident about quantifiable (statistical) uncertainty, also acknowledge that a lot is still 'known to be unknown'. Adaptation or mitigation studies are influenced by many aspects and acknowledging that something is unknown (recognised ignorance) should be common. The higher frequency of recognized ignorance in decision-making studies may suggest that scientists dealing with decision-making are aware of the existing evidence about the uncertainty surrounding the impact of climate change on forests, but might struggle to make sense of it (Lemos *et al* 2012).

In modelling studies, the uniform share of levels indicates that modellers are aware of the existence of multi-layered uncertainties. We found that statistical uncertainty was mostly located in model outputs and parameters, scenario uncertainty in the driving forces, and recognised ignorance within the model parameters (figure 3). These differences indicate that, depending on the stage of the modelling process, diverse uncertainties emerge and dictate which part of the system needs more attention and the application of more complex calibration techniques (van Oijen 2017).

Finally, in decision-making studies we found clear differences in both the number and the type of addressed uncertainties going from the policy-making to more operational management stages (figure 4). For example, policy-making studies at the national scale

have mainly dealt with recognised ignorance (known unknowns), while operational studies at the local scale identified all three uncertainty levels. This suggests that at the national scale decisions are harder to make, as they operate based on known unknowns, while operational staff working at local scale, where mainly 'statistical' uncertainty is addressed, can make more confident decisions.

5.2. Methods for uncertainty assessment

A range of methods are available for quantifying and communicating uncertainty in environmental management (Refsgaard *et al* 2007). We find that modelling studies use more methods to assess uncertainties than decision-making studies, which highlights stronger traditions in quantifying uncertainty in the modelling community. Out of 15 main methods, we found that only three methods—namely sensitivity and scenario analysis, and expert elicitation—are common to both modelling and decision-making studies. Yet, given their wide applicability, this is not surprising and indeed these are promising methods for easier and clearer communication of uncertainty related to climate change. Scenario analysis, in particular, has been used to quantify several types of uncertainty. This method is very common in forest-related climate impact studies (Petr *et al* 2014b, Reyer *et al* 2014, Ray *et al* 2015) but also in a wide range of other climate impact studies (e.g. Frieler *et al* 2017), likely due to the simplicity of scenario development, analysis, and communication. However, as our review shows, less frequently used methods offer opportunities for embracing a wider range of uncertainty types.

Furthermore, the dominance of methods for capturing epistemic uncertainty highlights a lack of methods for assessing ambiguity and stochasticity, or more difficulties in applying them. Among available methods for assessing ambiguity, only expert elicitation (stakeholder involvement) seems to be adequate for taking into consideration multiple views and frames about the problem at hand. With the expected increase of integrated models and interdisciplinary research involving multiple types of uncertainty, either new methods should be developed, or the current ones tested to capture and communicate ambiguity. Otherwise, the modelling community might struggle to find a common language with their model users, and model results will be less likely to be picked-up by users. Finally, we acknowledge that a similar analysis based on papers in a different field, e.g. hydrology, could have yielded a somewhat different set of methods to be used for uncertainty assessment reflecting disciplinary preferences for certain methods.

5.3. Recommendations for modelling, policy and management

Modelling and decision-making studies provide diverse but valid knowledge about a system under study

(Brugnach *et al* 2008). Building upon this review, we provide recommendations that might help future modelling and decision-making studies to increase clarity. This clarity will help to formulate key messages and better communicate uncertainty as required for thorough policy making under climate change (Meah 2019).

Modelling studies should aim to increase the usability of model results, while acknowledging different uncertainty types, by:

- Continuously improving model accuracy and reducing epistemic uncertainty by, e.g. additional field measurements, incorporation of big data from remote sensing, and novel calibration and data assimilation techniques.
- When possible, providing easily interpretable measures of confidence in statistical models (such as confidence or credible intervals) in combination with the effect size of the response variable.
- Being clear about which types of uncertainty they are addressing or not, and then communicating them properly.
- Being clear about which uncertainty types a model is trying to reduce, but also demonstrating when new uncertainties can possibly emerge (i.e. surprising, new relationship between variables).
- Trying to model or incorporate broader uncertainty natures, especially ambiguity, which are important for decision-making and model users.

As current forest policies increasingly focus on making forests resilient to environmental change (EU 2013, Forestry Policy Team 2013), they inevitably have to deal with a number of uncertainties associated with climate change impacts on forests. To translate these policies into practice and manage for resilient forests, it is important to identify the key uncertainties and reduce them, if possible (Allen *et al* 2011). For practical forest management, to make future forests more resilient, management plans need to incorporate uncertainties on climate change impacts (Lindner *et al* 2014), e.g. about future extreme weather events, pest and diseases, which cause the most severe impacts and may strongly affect model output's accuracy (Littell *et al* 2011). Management plans can include for example a scenario analysis, coming up with strategic and tactical management options for several alternative future climates. Another example would be using stakeholder involvement to collect opinions on the worst-case scenario, and plan accordingly, following an approach consistent with a precautionary principle. For decision-making studies, we therefore provide the following recommendations:

- Using available frameworks and methods to capture all investigated uncertainties for easier communication with peers and model users.

- Questioning which types of uncertainties models and their outputs quantify.
- Being open about the range of uncertainties that the problem might involve—especially including ambiguity.
- Being aware of the model boundaries and about what processes or components are ‘known unknowns’, because model outputs and their inherent uncertainties represent only a part of forest ecosystem dynamics.
- Acknowledging that recognised ignorance (as a specific nature of uncertainty) is a common driver in policy making.
- Acknowledging, assessing and communicating uncertainties (e.g. by scenario analysis) when developing policies for sustainable forest management and adaptation under climate change (advisors). Overall, uncertainties should not be perceived as a barrier for action, but be acknowledged and communicated with ‘simple but not simplistic messages’ (Lindner *et al* 2014).

5.4. Limitations of the review

During this review, we made a number of assumptions which have to be borne in mind when interpreting the results. First, only a small proportion of the existing literature on climate change impacts on forests was captured by our search criteria. This means that standardized uncertainty reporting is not at all a common practice both in modelling and in decision-making studies. Ultimately, most scientific studies address uncertainty, because they bring a novel understanding of something that was previously unknown, but most fail to acknowledge uncertainty in a structured way. Second, for each paper we recorded only the first uncertainty assessment method applied to a unique combination of uncertainty location, level, and nature. As a consequence, we possibly omitted other methods that would have been used for the same unique combination. Still, due to our three-dimensional framework, we believe that we identified the majority of methods. Yet, given that our primary focus was mostly on the uncertainty types, future research on the exact use and applicability of uncertainty assessment methods could shed further light on how to address different uncertainty types. Third, our uncertainty framework, which we developed before the systematic review, is not comprehensive and might be amended by future users. For example, through the review, we came across new uncertainty types, which were missing from the proposed uncertainty framework and were classified as ‘not available’. These could be classified by introducing ‘deep uncertainty’ as another uncertainty level, placed just above ‘recognised ignorance’ (Kwakkel *et al* 2010). Fourth, we could not completely avoid publication bias, as well as

a subjectivity bias by the different co-authors classifying the papers (Haddaway and Macura 2018). To reduce the latter, we followed a well-structured protocol for reviewing papers, which we discussed and shared during several meetings—a common method when conducting systematic reviews (Haddaway and Macura 2018). Finally, we used a set of uncertainty quantification methods that came from a modelling background and hence heavily focused on modelling studies (Refsgaard *et al* 2007). Even though we argue that the Refsgaard *et al* (2007) quantification methods are very comprehensive, they could be expanded to account for other uncertainty quantification methods suitable to the peculiar uncertainty dimensions that must be addressed by this type of research (Ascough *et al* 2008).

6. Conclusions

This study presents a multi-dimensional recognition of uncertainty in climate change impacts and adaptation studies in forest science. The modelling and decision-making studies we reviewed both typically address a wide range of uncertainties, but not necessarily the same ones. This mismatch highlights the need for a more transparent and comprehensive treatment and communication of uncertainty in scientific papers given that modelling and decision-making studies together should contribute to provide the evidence basis for solving climate change adaptation problems. Yet, trade-offs between which types of uncertainty to address and investigate will remain, because not all of them can be addressed in one study alone. Therefore, we call for strategies or frameworks that clearly and explicitly identify and communicate uncertainty dimensions. Disregarding the different uncertainty dimensions will likely lead to an imperfect communication of uncertainty, and, after all, to a sub-optimal evidence basis for decision-making.

Acknowledgments

This article is based on work from COST Action FP1304 PROFOUND (Towards Robust Projections of European Forests under Climate Change), supported by COST (European Cooperation in Science and Technology). M Petr acknowledges funding support from Forestry Commission (UK) funded research on climate change impacts. CPOR acknowledges funding from the German Federal Ministry of Education and Research (BMBF, grant no. 01LS1201A1).

Author Contributions: MP and CPOR. initiated the work. All co-authors contributed to review of papers and several workshops during which we decided on the uncertainty framework and review protocol. MP and GV analysed the review outputs. MP, GV and CPOR drafted the manuscript. All co-authors reviewed and commented on the manuscript.

Data availability statement

Any data that support the findings of this study are included within the article (table S3).

References

- Albrich K, Rammer W, Thom D and Seidl R 2018 Trade-offs between temporal stability and level of forest ecosystem services provisioning under climate change *Ecol. Appl.* **28** 1884–96
- Allen C R, Cumming G S, Garmestani A S, Taylor P D and Walker B H 2011 Managing for resilience *Wildlife Biol.* **17** 337–49
- Ascough J C, Maier H R, Ravalico J K and Strudley M W 2008 Future research challenges for incorporation of uncertainty in environmental and ecological decision-making *Ecol. Modelling* **219** 383–99
- Asseng S et al 2013 Uncertainty in simulating wheat yields under climate change *Nat. Clim. Change* **3** 827–32
- Brugnach M, Dewulf A, Pahl-Wostl C and Taillieu T 2008 Toward a relational concept of uncertainty: about knowing too little, knowing too differently, and accepting not to know *Ecol. Soc.* **13** 16
- Bryant B P, Borsuk M E, Hamel P, Oleson K L L, Schulp C J E and Willcock S 2018 Transparent and feasible uncertainty assessment adds value to applied ecosystem services modeling *Ecosyst. Serv.* **33** 103–9
- Cantarello E, Newton A C, Martin P A, Evans P M, Gosal A and Lucash M S 2017 Quantifying resilience of multiple ecosystem services and biodiversity in a temperate forest landscape *Ecol. Evol.* **7** 9661–75
- Chebib A et al 2012 Climate change impacts on tree ranges: model intercomparison facilitates understanding and quantification of uncertainty *Ecol. Lett.* **15** 533–44
- Cramer W, Yohe G W, Auffhammer M, Huggel C, Molau U, Da Silva Dias M A F, Solow A, Stone D A and Tibig L 2014 Detection and attribution of observed impacts *Climate Change 2014 Impacts, Adaptation and Vulnerability: Part A: Global and Sectoral Aspects. Contribution of Working Group II to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change* (Cambridge, United Kingdom and New York, NY, USA: Cambridge University Press) pp 979–1037
- Doherty J 2015 *Calibration and Uncertainty Analysis for Complex Environmental Models* (Brisbane: Watermark Numerical Computing)
- EU 2013 A new EU Forest Strategy: for forests and the forest-based sector. Procedure number 1041237 (Brussels: European Commission)
- Falloon P, Challinor A, Dessai S, Hoang L, Johnson J and Koehler A-K 2014 Ensembles and uncertainty in climate change impacts *Frontiers Environ. Sci.* **2** 33
- Forestry Policy Team 2013 Government forestry and woodlands policy statement (London: Department of Environment, Food and Rural Affairs)
- Frieler K et al 2017 Assessing the impacts of 1.5 °C global warming-simulation protocol of the inter-sectoral impact model intercomparison project (ISIMIP2b) *Geosci. Model Dev.* **10** 4321–45
- Gray D R 2017 Quantifying the sources of epistemic uncertainty in model predictions of insect disturbances in an uncertain climate *Ann. Forest Sci.* **74** 48
- Haddaway N R and Macura B 2018 The role of reporting standards in producing robust literature reviews *Nat. Clim. Change* **8** 444–7
- Hanger S, Pfenninger S, Dreyfus M and Patt A 2013 Knowledge and information needs of adaptation policy-makers: a European study *Reg. Environ. Change* **13** 91–101
- Hartig F, Minunno F and Paul S 2019 BayesianTools: General-Purpose MCMC and SMC Samplers and Tools for Bayesian Statistics. R package version 0.1.6 (<https://github.com/florianhartig/BayesianTools>)
- Jones R 2000 Managing uncertainty in climate change projections—issues for impact assessment *Clim. Change* **45** 403–19
- Kemp K B, Blades J J, Klos P Z, Hall T E, Force J E, Morgan P and Tinkham W T 2015 Managing for climate change on federal lands of the western United States: perceived usefulness of climate science, effectiveness of adaptation strategies, and barriers to implementation *Ecol. Soc.* **20** art17
- Kundzewicz Z W, Krysanova V, Benestad R E, Hov Ø, Piniewski M and Otto I M 2018 Uncertainty in climate change impacts on water resources *Environ. Sci. Policy* **79** 1–8
- Kwakkel J H, Walker W E and Marchau V A W J 2010 Classifying and communicating uncertainties in model-based policy analysis *Int. J. Technol. Policy Manag.* **10** 299–315
- Lawrence A and Marzano M 2014 Is the private forest sector adapting to climate change? A study of forest managers in north Wales *Ann. Forest Sci.* **71** 291–300
- Lehmann J and Rillig M 2014 Distinguishing variability from uncertainty *Nat. Clim. Change* **4** 153–153
- Lemos M C, Kirchhoff C J and Ramprasad V 2012 Narrowing the climate information usability gap *Nat. Clim. Change* **2** 789–94
- Lindner M et al 2014 Climate change and European forests: what do we know, what are the uncertainties, and what are the implications for forest management? *J. Environ. Manage.* **146C** 69–83
- Littell J S, McKenzie D, Kerns B K, Cushman S and Shaw C G 2011 Managing uncertainty in climate-driven ecological models to inform adaptation to climate change *Ecosphere* **2** art102
- McKenzie P F, Duveneck M J, Morreale L L and Thompson J R 2019 Local and global parameter sensitivity within an ecophysiological based forest landscape model *Environ. Mod. Soft.* **117** 1–13
- Meah N 2019 Climate uncertainty and policy making—What do policy makers want to know? *Reg. Environ. Change* **19** 1611–21
- Marchand W, Girardin M P, Gauthier S, Hartmann H, Bouriaud O, Babst F and Bergeron Y 2018 Untangling methodological and scale considerations in growth and productivity trend estimates of Canada's forests *Environ. Res. Lett.* **13** 093001
- McDaniels T, Mills T, Gregory R and Ohlson D 2012 Using expert judgments to explore robust alternatives for forest management under climate change *Risk Anal.* **32** 2098–112
- Millar C I, Stephenson N L and Stephens S L 2007 Climate change and forests of the future: managing in the face of uncertainty *Ecol. Appl.* **17** 2145–51
- Mina M, Bugmann H, Cordonnier T, Itrauschek F, Klopčič M, Pardos M and Cailleret M 2017 Future ecosystem services from European mountain forests under climate change *J. Appl. Ecol.* **54** 389–401
- Moser S C and Ekstrom J A 2010 A framework to diagnose barriers to climate change adaptation *Proc. Natl Acad. Sci.* **107** 22026–31
- Nicol S, Brazill-Boast J, Gorrod E, McSorley A, Peyrard N and Chadès I 2019 Quantifying the impact of uncertainty on threat management for biodiversity *Nat. Commun.* **10** 3570
- Oesten G and Roeder A 2012 Management von Forstbetrieben Band I. (Freiburg, Germany: Institut für Forstökonomie der Universität Freiburg)
- O'Hara K L and Ramage B S 2013 Silviculture in an uncertain world: utilizing multi-aged management systems to integrate disturbance *Forestry* **86** 401–10
- Petr M, Boerboom L, Ray D and van der Veen A 2014a An uncertainty assessment framework for forest planning adaptation to climate change *Forest Policy Econ.* **41** 1–11
- Petr M, Boerboom L G J, Ray D and van der Veen A 2016 New climate change information modifies frames and decisions of decision makers: an exploratory study in forest planning *Reg. Environ. Change* **16** 1161–70
- Petr M, Boerboom L G J, van der Veen A and Ray D 2014b A spatial and temporal drought risk assessment of three major tree species in Britain using probabilistic climate change projections *Clim. Change* **124** 791–803

- R Core Team 2018 R: A language and environment for statistical computing (Vienna, Austria: R Foundation for Statistical Computing)
- Radke N, Yousefpour R, von Detten R, Reifenberg S and Hanewinkel M 2017 Adopting robust decision-making to forest management under climate change *Ann. Forest Sci.* **74** 43
- Rammer W and Seidl R 2015 Coupling human and natural systems: simulating adaptive management agents in dynamically changing forest landscapes *Glob. Environ. Change* **35** 475–85
- Ray D, Bathgate S, Moseley D, Taylor P, Nicoll B, Pizzirani S and Gardiner B 2015 Comparing the provision of ecosystem services in plantation forests under alternative climate change adaptation management options in Wales *Reg. Environ. Chang.* **15** 1501–13
- Ray D, Petr M, Mullett M, Bathgate S, Marchi M and Beauchamp K 2017 A simulation-based approach to assess forest policy options under biotic and abiotic climate change impacts: a case study on Scotland's National Forest Estate *Forest Policy Econ.* **15** 1501–13
- Refsgaard J C, van der Sluijs J P, Hojberg A L and Vanrolleghem P A 2007 Uncertainty in the environmental modelling process—a framework and guidance *Environ. Modelling Softw.* **22** 1543–56
- Reyer C 2013 The cascade of uncertainty in modeling forest ecosystem responses to environmental change and the challenge of sustainable resource management *Dissertation* (Berlin: Humboldt-Universität zu Berlin, Mathematisch-Naturwissenschaftliche Fakultät II) (<http://doi.org/10.18452/16749>)
- Reyer C, Lasch-Born P, Suckow F, Gutsch M, Murawski A and Pilz T 2014 Projections of regional changes in forest net primary productivity for different tree species in Europe driven by climate change and carbon dioxide *Ann. Forest Sci.* **71** 211–25
- Rounsevell M D A, Robinson D T and Murray-Rust D 2012 From actors to agents in socio-ecological systems models *Phil. Trans. R. Soc. B* **367** 259–69
- Schmolke A, Thorbek P, DeAngelis D L and Grimm V 2010 Ecological models supporting environmental decision making: a strategy for the future *Trends Ecol. Evol.* **25** 479–86
- Seidl R et al 2017 Forest disturbances under climate change *Nat. Clim. Change* **7** 395–402
- Sigel K, Klauer B and Pahl-Wostl C 2010 Conceptualising uncertainty in environmental decision-making: The example of the EU water framework directive *Ecol. Econ.* **69** 502–10
- Spittlehouse D L and Stewart R B 2003 Adaptation to climate change in forest management *BC J. Ecosyst. Manag.* **4** 1–11
- Uusitalo L, Lehikoinen A, Helle I and Myrberg K 2015 An overview of methods to evaluate uncertainty of deterministic models in decision support *Environ. Model. Softw.* **63** 24–31
- van der Bles A M, van der Linden S, Freeman A L J, Mitchell J, Galvao A B, Zaval L and Spiegelhalter D J 2019 Communicating uncertainty about facts, numbers and science *R. Soc. Open Sci.* **6** 181870
- van Asselt M B A and Rotmans J 2002 Uncertainty in integrated assessment modelling—from positivism to Pluralism *Clim. Change* **54** 75–105
- van Oijen M 2017 Bayesian methods for quantifying and reducing uncertainty and error in forest models *Curr. Forestry Rep.* **3** 269–80
- Verkerk P J, Mavsar R, Giergiczny M, Lindner M, Edwards D and Schelhaas M J 2014 Assessing impacts of intensified biomass production and biodiversity protection on ecosystem services provided by European forests *Ecosyst. Serv.* **9** 155–65
- Walker W E, Harremoes P, Rotmans J, van der Sluijs J P, van Asselt M B A, Janssen P and von Krauss M P K 2003 Defining uncertainty: a conceptual basis for uncertainty management in model-based decision support *Integr. Assess.* **4** 5–17
- Walker W E and Marchau V A W J 2003 Dealing with uncertainty in policy analysis and policymaking *Integr. Assess.* **4** 1–4
- Wardekker J A, de Jong A, van Bree L, Turkenburg W C and van der Sluijs J P 2012 Health risks of climate change: an assessment of uncertainties and its implications for adaptation policies *Environ. Health* **11** 6
- Warmink J J, Janssen J, Booij M J and Krol M S 2010 Identification and classification of uncertainties in the application of environmental models *Environ. Mod. Soft.* **25** 1518–27
- White T, Fienen M N and Doherty J E 2016 A python framework for environmental model uncertainty analysis *Environ. Model. & Softw.* **85** 217–28
- Wickham H 2017 Tidyverse: Easily install and load 'tidyverse' packages. (<https://tidyverse.tidyverse.org/>)
- Yousefpour R and Hanewinkel M 2016 Climate change and decision-making under uncertainty *Curr. Forestry Rep.* **2** 143–9
- Yousefpour R, Jacobsen J B, Thorsen B J, Meilby H, Hanewinkel M and Oehler K 2012 A review of decision-making approaches to handle uncertainty and risk in adaptive forest management under climate change *Ann. Forest Sci.* **69** 1–15