













































- [21] K.S. Miller and S.G. Samko, Completely monotonic functions. *Integr. Transf. Spec. Func.* **12**, No 4 (2001), 389–402.
- [22] T. Pogány, Integral form of Le Roy hypergeometric function. *Integr. Transf. Spec. Func.* **29**, No 7 (2018), 580–584.
- [23] H. Pollard, The representation of  $e^{-x^\lambda}$  as a Laplace integral. *Bull. Amer. Math. Soc.* **52** (1946), 908.
- [24] H. Pollard, The completely monotone character of the Mittag-Leffler function  $E_\alpha(-x)$ . *Bull. Amer. Math. Soc.* **54** (1948), 1115–1116.
- [25] A.P. Prudnikov, Yu.A. Brychkov, and O.I. Marichev, *Integrals and Series, Vol. 1: Elementary Functions*. Gordon and Breach, Amsterdam (1998).
- [26] A.P. Prudnikov, Yu.A. Brychkov, and O.I. Marichev, *Integrals and Series, Vol. 3: More Special Functions*. FizMatLit, Moscow (2003).
- [27] A.P. Prudnikov, Yu.A. Brychkov, and O.I. Marichev, *Integrals and Series, Vol. 5: Inverse Laplace Transform*. Gordon and Breach, New York (1992).
- [28] B. Stankovic, On the function of E. M. Wright. *Publ. Inst. Math. Beograd* **10**, No 24 (1970), 113–124.
- [29] R.L. Schilling, R. Song, and Z. Vondracek, *Bernstein Functions: Theory and Applications*. 2nd Ed., De Gruyter, Berlin-Boston, (2012).
- [30] W.R. Schneider, Completely monotone generalized Mittag-Leffler function. *Expos. Math.* **14** (1996), 005–016.
- [31] Ž. Tomovski, T.K. Pogány, H.M. Srivastava, Laplace type integral expression for a certain three-parameter family of generalized Mittag-Leffler functions with application involving complete monotonicity. *J. Franklin Inst.* **351** (2014), 5437–5454.
- [32] D.V. Widder, *The Laplace Transform*. Princeton Mathematical Series, Princeton (1946).

<sup>a</sup> *H. Niewodniczański Institute of Nuclear Physics  
Polish Academy of Sciences*

*ul. Eljasza Rадzikowskiego 152, PL 31342 Kraków, POLAND*

*e-mail: katarzyna.gorska@ifj.edu.pl*

*Received: March 23, 2019*

*e-mail: andrzej.horzela@ifj.edu.pl*

<sup>b</sup> *Department of Mathematics, University of Bari “Aldo Moro”*

*Via Orabona n. 4 - 70125 Bari, ITALY*

*Member of the INdAM Research group GNCS*

*e-mail: roberto.garrappa@uniba.it*

Please cite to this paper as published in:

*Fract. Calc. Appl. Anal.*, Vol. **22**, No 5 (2019), pp. 1284–1306,

DOI: 10.1515/fca-2019-0068; at <https://www.degruyter.com/view/j/fca>.